

# Data Sheet

## Fujitsu L19T-1 LED Display

All-round display: 47 cm (18.5-inch) widescreen  
Ease of use at a reasonable price

The L19T-1 LED comes in a 16:9 format with a trendy style. There is no compromise in picture quality and energy efficiency. It is the best choice to get display with restricted desk space. It is easy-to-use and once it is installed you never have to adjust it again - proven Fujitsu quality.



Widescreen display with LED backlit panel in optimum 16:9 movie format

< 1W/inch typical power consumption and Energy Star compliant

5 ms fast response time (typ.) - perfect for office and internet

1366 x 768 HD resolution for good entertainment experience

Due to integrated speakers no further accessories needed



# Technical details

## Special features

LED backlit panel, ECO Status LED: 3 colors for 3 modes

## Stand details

Stand removable  
Tilt angle -5° / +15°

## Picture performance

Contrast - typical 1,000:1  
Contrast - advanced 5,000,000:1  
Response time typical 5 ms  
Viewing angle (h/v) - typical 176°/170°  
Color performance 16.7 million colors (Hi-FRC)  
Brightness - typical 250 cd/m<sup>2</sup>

## Size and resolution

Aspect ratio 16:9  
Diagonal Size 47 cm (18.5-inch)  
Resolution (native) 1366 x 768 pixel (recommended)  
Resolution (interpolated) 1024 x 768 pixel, 800 x 600 pixel, 640 x 480 pixel, 720 x 400 pixel  
Picture size 409.8 x 230.4 mm  
Pixel Pitch 0.3 mm

## Frequencies

Horizontal 30 kHz to 83 kHz  
Vertical 55 - 76 Hz  
Frequencies - bandwidth 135 Mhz

## Connectivity

VGA/D-SUB 1 x D-SUB  
Audio signal input 3.5 mm stereo phone jack  
Audio sound output 2 x 1 W

## OSD Languages and setting options

Languages Arabic, Czech, Danish, Dutch, English, Finnish, French, German, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish  
Brightness / Contrast Brightness, Contrast  
Color 6500K, 7500K, 9300K, Native, sRGB, Custom Color  
Image adjust H-Position, V-Position, Sharpness, Clock, Phase  
Audio Mute, Volume  
Information Resolution/mode, Signal input

## Power consumption (typical, w/o sound)

Soft switch off 0.4 W  
Power save mode 0.4 W  
Operating with EPA settings 15.7 W  
Operating maximum brightness 19.0 W

## Electrical values

Rated voltage range 100 V - 240 V  
Rated frequency range 50 Hz - 60 Hz  
Protection class 1

## Compliance

Europe CE, RoHS, WEEE, IT-Eco-Declaration  
Russia GOST

USA/Canada	FCC Class B, cUL
Australia/New Zealand	C-Tick
Saudi Arabia	SASO
Global	ENERGY STAR® 5.0, ISO9241-307 (Pixel fault class I)
Compliance link	<a href="https://sp.ts.fujitsu.com/sites/certificates/default.aspx">https://sp.ts.fujitsu.com/sites/certificates/default.aspx</a>
<b>Quality and Reliability</b>	
MTBF (demonstrated)	50000 h
<b>Dimensions / Weight / Environmental</b>	
Dimension without stand (W x D x H)	440.37 x 50.93 x 274.93 mm
Dimension with stand (W x D x H)	440.3 x 179.79 x 340.9 mm
Weight (unpacked)	2.3 kg
Operating ambient temperature	5 - 35°C
<b>Miscellaneous</b>	
Miscellaneous	VESA DDC/ CI, Standardized mounting interface VESA FP MP MI 100 mm, Kensington lock
<b>Package content</b>	
Display delivered accessories	Data cable 1.8m, D-SUB (15-pin), Audio cable 1.8m, Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8m, User manual, Warranty booklet, Quickstart flyer
<b>Order information</b>	
Order Code	S26361-K1343-V160
EAN-No.	4049699196966
<b>Warranty</b>	
Standard Warranty	3 years
Service level	Collect & Return Service (depending on country)
Service Weblink	<a href="http://ts.fujitsu.com/Supportservice">http://ts.fujitsu.com/Supportservice</a>

# More information

## Fujitsu platform solutions

In addition to Fujitsu L19T-1 LED, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

### Computing Products

[www.fujitsu.com/global/services/computing/](http://www.fujitsu.com/global/services/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about Fujitsu L19T-1 LED, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
<http://ts.fujitsu.com/displays>

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at <http://www.fujitsu.com/global/about/environment/>



## Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see [http://ts.fujitsu.com/terms\\_of\\_use.html](http://ts.fujitsu.com/terms_of_use.html)

Copyright © Fujitsu Technology Solutions

## Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

## Contact

FUJITSU Technology Solutions  
Website: <http://ts.fujitsu.com>  
2010-11-22 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [http://ts.fujitsu.com/terms\\_of\\_use.html](http://ts.fujitsu.com/terms_of_use.html)  
Copyright © Fujitsu Technology Solutions